

1. Ayoub, M., S.J. Symons, M.J. Edney, and D.E. Mather. 2002. QTLs affecting kernel size and shape in a two-rowed by six-rowed barley cross. *Theoretical and Applied Genetics*. 105:237-247.
2. Beecher, B., E.D. Smidansky, D. See, T.K. Blake, and M.J. Giroux. 2001. Mapping and sequence analysis of barley hordoindolines. *Theoretical and Applied Genetics*. 102:833-840.
3. Bilgic, H., S. Cho, D.F. Garvin, and G.J. Muehlbauer. 2007. Mapping barley genes to chromosome arms by transcript profiling of wheat-barley ditelosomic chromosome addition lines. *Genome*. 50:898-906.
4. Bilgic, H., B. Steffenson, and P. Hayes. 2005. Comprehensive genetic analyses reveal differential expression of spot blotch resistance in four populations of barley. *Theoretical and Applied Genetics*. 111:1238-1250.
5. Bilgic, H., B.J. Steffenson, and P.M. Hayes. 2006. Molecular mapping of loci conferring resistance to different pathotypes of the spot blotch pathogen in barley. *Phytopathology*. 96:699-708.
6. Blake, T., N. Lybeck, and P.M. Hayes. 1991. Good, bad, and untested ideas in RFLP and QTL analysis. *Plant Breeding Abstracts*. 61:1-7.
7. Boddu, J., S. Cho, W.M. Kruger, and G.J. Muehlbauer. 2006. Transcriptome analysis of the barley-*Fusarium graminearum* interaction. *Molecular Plant-Microbe Interactions*. 19:407-417.
8. Borem, A., D.E. Mather, D.C. Rasmusson, R.G. Fulcher, and P.M. Hayes. 1999. Mapping quantitative trait loci for starch granule traits in barley. *Journal of Cereal Science*. 29:153-160.
9. Borner, A., G. Buck-Sorlin, P.M. Hayes, S. Malyshev, and V. Korzun. 2002. Molecular mapping of major genes and quantitative trait loci determining flowering time in response to photoperiod in barley. *Plant Breeding*. 12:129-132.
10. Borovkova, I.G., Y. Jin, and B.J. Steffenson. 1998. Chromosomal location and genetic relationship of leaf rust resistance genes Rph9 and Rph12 in barley. *Phytopathology*. 88:76-80.
11. Borovkova, I.G., Y. Jin, B.J. Steffenson, A. Kilian, T.K. Blake, and A. Kleinhofs. 1997. Identification and mapping of a leaf rust resistance gene in barley line Q21861. *Genome*. 40:236-241.
12. Borovkova, I.G., B.J. Steffenson, Y. Jin, J.B. Rasmussen, A. Kilian, A. Kleinhofs, B.G. Rossnagel, and K.N. Kao. 1995. Identification of molecular markers linked to the stem rust resistance gene rpg4 in barley. *Phytopathology*. 85:181-185.

13. Bowman, J.G.P., T.K. Blake, L.M.M. Surber, D.K. Habernicht, and H. Bockelman. 2001. Feed-quality variation in the barley core collection of the USDA National Small Grains Collection. *Crop Science*. 41:863-870.
14. Bregitzer, P., and R.D. Campbell. 2001. Genetic markers associated with green and albino plant regeneration from embryogenic barley callus. *Crop Science*. 41:173-179.
15. Bregitzer, P., L.D. Cooper, P.M. Hayes, P.G. Lemaux, J. Singh, and A.K. Sturbaum. 2007. Viability and bar expression are negatively correlated in Oregon Wolfe Barley Dominant hybrids. *Plant Biotechnology Journal*. 5:381-388.
16. Bregitzer, P., D.W. Mornhinweg, and B.L. Jones. 2003. Resistance to Russian wheat aphid damage derived from STARS 9301B protects agronomic performance and malting quality when transferred to adapted barley germplasm. *Crop Science*. 43:2050-2057.
17. Bregitzer, P., and V. Raboy. 2006a. Effects of four independent low-phytate mutations in barley (*Hordeum vulgare* L.) on seed phosphorus characteristics and malting quality. *Cereal Chemistry*. 83:460-464.
18. Bregitzer, P., and V. Raboy. 2006b. Effects of four independent low-phytate mutations on barley agronomic performance. *Crop Science*. 46:1318-1322.
19. Brueggeman, R., T. Drader, and A. Kleinhofs. 2006. The barley serine/threonine kinase gene Rpg1 providing resistance to stem rust belongs to a gene family with five other members encoding kinase domains. *Theoretical and Applied Genetics*. 113:1147-1158.
20. Brueggeman, R., N. Rostoks, D. Kudrna, A. Kilian, F. Han, J. Chen, A. Druka, B. Steffenson, and A. Kleinhofs. 2002. The barley stem rust-resistance gene Rpg1 is a novel disease-resistance gene with homology to receptor kinases. *Proceedings of the National Academy of Sciences of the United States of America*. 99:9328-9333.
21. Bulgarelli, D., N.C. Collins, G. Tacconi, E. Dellaglio, R. Brueggeman, A. Kleinhofs, A.M. Stanca, and G. Vale. 2004. High-resolution genetic mapping of the leaf stripe resistance gene Rdg2a in barley. *Theoretical and Applied Genetics*. 108:1401-1408.
22. Canci, P.C., L.M. Nduulu, G.J. Muehlbauer, R. Dill-Macky, D.C. Rasmusson, and K.P. Smith. 2004. Validation of quantitative trait loci for Fusarium head blight and kernel discoloration in barley. *Molecular Breeding*. 14:91-104.
23. Castro, A.J., F. Capettini, A.E. Corey, T. Filichkina, P.M. Hayes, A. Kleinhofs, D. Kudrna, K. Richardson, S. Sandoval-Islas, C. Rossi, and H. Vivar. 2003. Mapping and pyramiding of qualitative and quantitative resistance to stripe rust in barley. *Theoretical and Applied Genetics*. 107:922-930.
24. Castro, A. X. Chen, A.E. Corey, T. Filichkina, P. M. Hayes, C. Mundt, K. Richardson, S. Sandoval-Islas, and H. Vivar. 2003. Pyramiding and validation of

Quantitative Trait Locus (QTL) alleles determining resistance to barley stripe rust: effects on adult plant resistance. *Crop Science*. 43:2234-2239.

25. Castro, A. X. Chen, P.M. Hayes, and M. Johnston. 2003. Pyramiding quantitative trait locus (QTL) alleles determining resistance to barley stripe rust: effects on resistance at the seedling stage. *Crop Science*. 43: 651-659.
26. Castro, A. X. Chen, P.M. Hayes, S.J. Knapp, R.F. Line, T. Toojinda, and H. Vivar. 2002. Coincident QTL determine seedling and adult plant resistance to stripe rust in barley. *Crop Science*. 42:1701-1708.
27. Chen, F. and P.M. Hayes. 1994. Nucleotide sequence and developmental expression of duplicated genes encoding protein disulfide isomerase in barley (*Hordeum vulgare* L.). *Plant Physiol*. 106:1705-1706.
28. Chen F. Q., P. M. Hayes, D. Mulrooney, and A. Pan. 1994a. Identification and characterization of plant calreticulin from barley. (*Hordeum vulgare* L.). *The Plant Cell*. 6: 835-843.
29. Chen, F., P.M. Hayes, D.M. Mulrooney, and A. Pan. 1994b. Nucleotide sequence of a cDNA encoding a heat-shock protein (HSP 70) from barley (*Hordeum vulgare* L.). *Plant Physiology*. 106: 815.
30. Chen, F., D. Prehn, P.M. Hayes, D. Mulrooney, A. Corey, and H. Vivar. 1994. Mapping genes for resistance to barley stripe rust. (*Puccinia striiformis* f. sp. *hordei*). *Theoretical and Applied Genetics*. 88: 215-219.
31. Chen, H., S. Wang, Y. Xing, C. Xu, P.M. Hayes, and Q. Zhang. 2003. Comparative analyses of genomic locations and specificities of loci for quantitative resistance to *Pyricularia grisea* in rice and barley. *Proceedings of the National Academy of Sciences (USA)*. 100:2544-2549
32. Chen, X.M., R.F. Line, P.M. Hayes, T. Toojinda, H. Vivar, A. Kleinhofs, and D. Kudrna. 1999. Mapping barley genes for resistance to stripe rust, leaf rust, and scab using resistance gene analog polymorphism and restriction fragment length polymorphism. *Phytopathology*. 89:S15.
33. Cho, S.H., D.F. Garvin, and G.J. Muehlbauer. 2006. Transcriptome analysis and physical mapping of barley genes in wheat-barley chromosome addition lines. *Genetics*. 172:1277-1285.
34. Choi, D.W., and T.J. Close. 2000. A newly identified barley gene, Dhn12 encoding a YSK2 DHN, is located on chromosome 6H and has embryo-specific expression. *Theoretical and Applied Genetics*. 100:1274-1278.
35. Choi, D.W., M.C. Koag, and T.J. Close. 2000. Map locations of barley Dhn genes determined by gene-specific PCR. *Theoretical and Applied Genetics*. 101:350-354.
36. Choi, D.W., E.M. Rodriguez, and T.J. Close. 2002. Barley Cbf3 gene identification, expression pattern, and map location. *Plant Physiology*. 129:1781-1787.

37. Choi, D.W., B. Zhu, and T.J. Close. 1999. The barley (*Hordeum vulgare* L.) dehydrin multigene family: sequences, allele types, chromosome assignments, and expression characteristics of 11 Dhn genes of cv Dicktoo. *Theoretical and Applied Genetics*. 98:1234-1247.
38. Clark, S.E., P.M. Hayes, and C.A. Henson. 2003. Effects of single nucleotide polymorphisms in beta-amylase 1 alleles from barley on functional properties of the enzymes. *Plant Physiology and Biochemistry*. 41:798-804.
39. Clark, S.E., P.M. Hayes, and C.A. Henson. 2005. Characterization of barley tissue-ubiquitous beta-amylase2 and effects of the single nucleotide polymorphisms on the enzyme's thermostability. *Crop Science*. 45:1868-1876.
40. Close, T.J., S.I. Wanamaker, R.A. Caldo, S.M. Turner, D.A. Ashlock, J.A. Dickerson, R.A. Wing, G.J. Muehlbauer, A. Kleinhofs, and R.P. Wise. 2004. A new resource for cereal genomics: 22K barley GeneChip comes of age. *Plant Physiology*. 134:960-968.
41. Condon, F., C. Gustus, D.C. Rasmusson, and K.P. Smith. 2008. Effect of advanced cycle breeding on genetic diversity in barley breeding germplasm. *Crop Science*. 48:1027-1036.
42. Cooper, L.D., L. Marquez-Cedillo, J. Singh, A.K. Sturbaum, S. Zhang, V. Edwards, K. Johnson, A. Kleinhofs, S. Rangel, V. Carollo, P. Bregitzer, P.G. Lemaux, and P.M. Hayes. 2004. Mapping Ds insertions in barley using a sequence-based approach. *Molecular Genetics and Genomics*. 272:181-193.
43. Costa, J.M., A. Corey, P.M. Hayes, C. Jobet, A. Kleinhofs, A. Kopisch-Obusch, S.F. Kramer, D. Kudrna, M. Li, O. Riera-Lizarazu, K. Sato, P. Szucs, T. Toojinda, M.I. Vales, and R.I. Wolfe. 2001. Molecular mapping of the Oregon Wolfe Barleys: a phenotypically polymorphic doubled-haploid population. *Theoretical and Applied Genetics*. 103:415-424.
44. Crosatti, C., E. Nevo, A.M. Stanca, and L. Cattivelli. 1996. Genetic analysis of the accumulation of COR14 proteins in wild (*Hordeum spontaneum*) and cultivated (*Hordeum vulgare*) barley. *Theoretical and Applied Genetics*. 93:975-981.
45. Crowley, D.E., C.L. Wu, D. Gries, S. Brunn, and D.R. Parker. 2002. Quantitative traits associated with adaptation of three barley (*Hordeum vulgare* L) cultivars to suboptimal iron supply. *Plant and Soil*. 241:57-65.
46. Dahleen, L.S., H.A. Agrama, R.D. Horsley, B.J. Steffenson, P.B. Schwarz, A. Mesfin, and J.D. Franckowiak. 2003. Identification of QTLs associated with Fusarium head blight resistance in Zhedar 2 barley. *Theoretical and Applied Genetics*. 108:95-104.
47. Davila, J.A., Y. Loarce, and E. Ferrer. 1999. Molecular characterization and genetic mapping of random amplified microsatellite polymorphism in barley. *Theoretical and Applied Genetics*. 98:265-273.

48. Devaux, P., A. Kilian, and A. Kleinhofs. 1995. Comparative mapping of the barley genome with male and female recombination-derived, doubled haploid populations. *Molecular & General Genetics*. 249:600-608.
49. Druka, A., D. Kudrna, F. Han, A. Kilian, B. Steffenson, D. Frisch, J. Tomkins, R. Wing, and A. Kleinhofs. 2000. Physical mapping of the barley stem rust resistance gene rpg4. *Molecular and General Genetics*. 264:283-290.
50. Druka, A., D. Kudrna, C.G. Kannangara, D. von Wettstein, and A. Kleinhofs. 2002. Physical and genetic mapping of barley (*Hordeum vulgare*) germin-like cDNAs. *Proceedings of the National Academy of Sciences of the United States of America*. 99:850-855.
51. Druka, A., D. Kudrna, N. Rostoks, R. Brueggeman, D. von Wettstein, and A. Kleinhofs. 2003. Chalcone isomerase gene from rice (*Oryza sativa*) and barley (*Hordeum vulgare*): physical, genetic and mutation mapping. *Gene*. 302:171-+.
52. Druka, A., G. Muehlbauer, I. Druka, R. Caldo, U. Baumann, N. Rostoks, A. Schreiber, R. Wise, T. Close, A. Kleinhofs, A. Graner, A. Schulman, P. Langridge, K. Sato, P. Hayes, J. McNicol, D. Marshall, and R. Waugh. 2006. An atlas of gene expression from seed to seed through barley development. *Functional & Integrative Genomics*. 6:202-211.
53. Druka, A., E. Potokina, Z. Luo, N. Bonar, I. Druka, L. Zhang, D.F. Marshall, B.J. Steffenson, T.J. Close, R.P. Wise, A. Kleinhofs, R.W. Williams, M.J. Kearsey, and R. Waugh. 2008. Exploiting regulatory variation to identify genes underlying quantitative resistance to the wheat stem rust pathogen *Puccinia graminis* f. sp *tritici* in barley. *Theoretical and Applied Genetics*. 117:261-272.
54. Dubcovsky, J., M.C. Luo, G.Y. Zhong, R. Bransteitter, A. Desai, A. Kilian, A. Kleinhofs, and J. Dvorak. 1996. Genetic map of diploid wheat, *Triticum monococcum* L, and its comparison with maps of *Hordeum vulgare* L. *Genetics*. 143:983-999.
55. Edney, M.J., and D.E. Mather. 2004. Quantitative trait loci affecting germination traits and malt friability in a two-rowed by six rowed barley cross. *Journal of Cereal Science*. 39:283-290.
56. El Attari, A., S. Rebai, P.M. Hayes, G. Barrault, G. Dechamp-Guillaume, and A. Sarrafi. 1998. Potential of doubled haploid lines and localization of quantitative trait loci (QTL) for partial resistance to bacterial leaf streak (*Xanthomonas campestris* pv. *hordei*) in barley. *Theoretical and Applied Genetics*. 96:95-100.
57. Fetch, T.G., B.J. Steffenson, and E. Nevo. 2003. Diversity and sources of multiple disease resistance in *Hordeum spontaneum*. *Plant Disease*. 87:1439-1448.
58. Fischer, A.M. 2007. Nutrient recycling during leaf senescence. In: *Senescence processes in plants*. S. Gan, ed. Blackwell, Sheffield, UK, pp. 87-107.

59. Gao, W., J.A. Clancy, F. Han, B.L. Jones, A. Budde, D.M. Wesenberg, A. Kleinhofs, S.E. Ullrich, and North American Barley Genome Project. 2004. Fine mapping of a malting-quality QTL complex near the chromosome 4H S telomere in barley. *Theoretical and Applied Genetics*. 109:750-760.
60. Gao, W., J.A. Clancy, F. Han, D. Prada, A. Kleinhofs, and S.E. Ullrich. 2003. Molecular dissection of a dormancy QTL region near the chromosome 7 (5H) L telomere in barley. *Theoretical and Applied Genetics*. 107:552-559.
61. Goblirsch, C.A., R.D. Horsley, and P.B. Schwarz. 1996. A strategy to breed low-protein barley with acceptable kernel color and diastatic power. *Crop Science*. 36:41-44.
62. Grewal, T.S., B.G. Rosnagel, C.J. Pozniak, and G.J. Scoles. 2008. Mapping quantitative trait loci associated with barley net blotch resistance. *Theoretical and Applied Genetics*. 116:529-539.
63. Grewal, T.S., B.G. Rosnagel, and G.J. Scoles. 2007. Mapping of quantitative trait loci associated with resistance to net blotch [*Pyrenophora teres*] in barley. *Canadian Journal of Plant Pathology-Revue Canadienne De Phytopathologie*. 29:219-219.
64. Gyenis, L., S.J. Yun, K.P. Smith, B.J. Steffenson, E. Bossolini, M.C. Sanguineti, and G.J. Muehlbauer. 2007. Genetic architecture of quantitative trait loci associated with morphological and agronomic trait differences in a wild by cultivated barley cross. *Genome*. 50:714-723.
65. Han, F., J.A. Clancy, B.L. Jones, D.M. Wesenberg, A. Kleinhofs, and S.E. Ullrich. 2004. Dissection of a malting quality QTL region on chromosome 1 (7H) of barley. *Molecular Breeding*. 14:339-347.
66. Han, F., S.E. Ullrich, S. Chirat, S. Menteur, L. Jestin, A. Sarrafi, P.M. Hayes, B.L. Jones, T.K. Blake, D.M. Wesenberg, A. Kleinhofs, and A. Kilian. 1995. Mapping of beta-glucan content and beta-glucanase activity loci in barley-grain and malt. *Theoretical and Applied Genetics*. 91:921-927.
67. Han, F., S.E. Ullrich, J.A. Clancy, V. Jitkov, A. Kilian, and I. Romagosa. 1996. Verification of barley seed dormancy loci via linked molecular markers. *Theoretical and Applied Genetics*. 92:87-91.
68. Han, F., S.E. Ullrich, A. Kleinhofs, B.L. Jones, P.M. Hayes, and D.M. Wesenberg. 1997. Fine structure mapping of the barley chromosome-1 centromere region containing malting-quality QTLs. *Theoretical and Applied Genetics*. 95:903-910.
69. Hayes, P.M. 1996. Barley genome mapping: new insights into the malting quality of the world's oldest crop. *Master Brewers Association of the Americas*. 33:223-225.
70. Hayes, P.M., T.K. Blake, T.H.H. Chen, S. Tragoonrung, F. Chen, A. Pan, and B. Liu. 1993. Quantitative trait loci on barley (*Hordeum vulgare* L.) chromosome 7 associated with components of winter hardiness. *Genome*. 36: 66-71.

71. Hayes, P.M., J. Ceronio, H. Witsenboer, M. Kuiper, M. Zabeau, K. Sato, A. Kleinhofs, D. Kudrna, A. Kilian, M. Saghai-Marooof, D. Hoffman and the North American Barley Genome Mapping Project 1997. Characterizing and exploiting genetic diversity and quantitative traits in barley (*Hordeum vulgare*) using AFLP markers. *Journal of Quantitative Trait Loci*.
<http://probe.nalusda.gov:8000/otherdocs/jqtl/jqtl1997-02/>
72. Hayes, P.M., B.H. Liu, S.J. Knapp, F. Chen, B. Jones, T. Blake, J. Franckowiak, D. Rasmusson, M. Sorrells, S.E. Ullrich, D. Wesenberg, and A. Kleinhofs. 1993. Quantitative trait locus effects and environmental interaction in a sample of North-American barley germ plasm. *Theoretical and Applied Genetics*. 87:392-401.
73. Hayes, P.M., D. Prehn, H. Vivar, T. Blake, A. Comeau, I. Henry, M. Johnston, B. Jones, and B. Steffenson. 1996. Multiple disease resistance loci and their relationship to agronomic and quality loci in a spring barley population. *Journal of Quantitative Trait Loci*. <http://probe.nalusda.gov:8000/otherdocs/jqtl/index.html>
74. Hayes, P.M. and P. Szucs. 2006. Disequilibrium and association in barley: thinking outside the glass. *Proceedings of the National Academy of Sciences of the United States of America*. 49:18385-18386.
75. Hoffman, D.L., and P. Bregitzer. 1996. Identification of reproducible PCR-RAPD markers that enable the differentiation of closely related six-rowed malting barley (*Hordeum vulgare* L) cultivars. *Journal of the American Society of Brewing Chemists*. 54:172-176.
76. Horsley, R.D., D. Schmierer, C. Maier, D. Kudrna, C.A. Urrea, B.J. Steffenson, P.B. Schwarz, J.D. Franckowiak, M.J. Green, B. Zhang, and A. Kleinhofs. 2006. Identification of QTLs associated with Fusarium head blight resistance in barley accession CIho 4196. *Crop Science*. 46:145-156.
77. Horsley, R.D., P.B. Schwarz, and J.J. Hammond. 1995. Genetic diversity in malt quality of North-American 6-rowed spring barley. *Crop Science*. 35:113-118.
78. Horvath, H., N. Rostoks, R. Brueggeman, B. Steffenson, D. von Wettstein, and A. Kleinhofs. 2003. Genetically engineered stem rust resistance in barley using the Rpg1 gene. *Proceedings of the National Academy of Sciences of the United States of America*. 100:364-369.
79. Igartua, E., P.M. Hayes, W.T.B. Thomas, R. Meyer, and D.E. Mather. 2002. Genetic control of quantitative grain and malt quality traits in barley. *Journal of Crop Production*. 5:131-164.
80. Inukai, T., M. I. Vales, K. Hori, K. Sato and P.M. Hayes. 2006. RMo1 confers blast resistance in barley and is located within the complex of resistance genes containing Mla, a powdery mildew resistance gene. *Molecular Plant-Microbe Interactions* 19:1034-1041.

81. Iyamabo, O.E., and P.M. Hayes. 1995. Effects of plot type on detection of quantitative trait locus effects in barley (*Hordeum vulgare* L.). *Plant Breeding*. 114:55-60.
82. Jin, Y., I.G. Borovkova, B.J. Steffenson, J.B. Rasmussen, A. Kilian, and A. Kleinhofs. 1995. Identification and mapping of a leaf rust resistance gene in barley line Q21861. *Phytopathology*. 85:1045.
83. Jukanti, A.K. and A.M. Fischer. 2008. A high-grain protein content locus on barley (*Hordeum vulgare*) chromosome six is associated with increased flag leaf proteolysis and nitrogen remobilization. *Physiologia Plantarum*. 132: 426–439
84. Jukanti, A.K., N.M. Heidlebaugh, D.L. Parrott, I.A. Fischer, K. McInnerney and A.M. Fischer. 2007. Comparative transcriptome profiling of near-isogenic barley (*Hordeum vulgare*) lines differing in the allelic state of a major grain protein content locus identifies genes with possible roles in leaf senescence and nitrogen reallocation. *The New Phytologist*. 177: 333–349
85. Kandemir, N., B.L. Jones, D.M. Wesenberg, S.E. Ullrich, and A. Kleinhofs. 2000. Marker-assisted analysis of three grain yield QTL in barley (*Hordeum vulgare* L.) using near isogenic lines. *Molecular Breeding*. 6:157-167.
86. Kandemir, N., D.A. Kudrna, S.E. Ullrich, and A. Kleinhofs. 2000. Molecular marker assisted genetic analysis of head shattering in six-rowed barley. *Theoretical and Applied Genetics*. 101:203-210.
87. Kandemir, N., A. Yildirim, D.A. Kudrna, P.M. Hayes, and A. Kleinhofs. 2004. Marker assisted genetic analysis of non-brittle rachis trait in barley. *Hereditas*. 141:272-277.
88. Karsai, I., K. Meszaros, P.M. Hayes, and Z. Bedo. 1997. Effects of loci on chromosomes 2 (2H) and 7 (5H) on developmental patterns in barley (*Hordeum vulgare* L) under different photoperiod regimes. *Theoretical and Applied Genetics*. 94:612-618.
89. Karsai, I., K. Meszaros, P. Szucs, P.M. Hayes, L. Lang, and Z. Bedo. 1999. Effects of loci determining photoperiod sensitivity (Ppd-H1) and vernalization response (Sh2) on agronomic traits in the 'Dicktoo' x 'Morex' barley mapping population. *Plant Breeding*. 118:399-403.
90. Karsai, I., K. Mészáros, P. Szűcs, P.M. Hayes, L. Láng, and Z. Bedő. 2006. The Vrn-H2 locus (4H) is influenced by photoperiod and is a major determinant of plant development and reproductive fitness traits in a facultative × winter barley (*Hordeum vulgare* L.) mapping population. *Plant Breeding*. 124:468-472.
91. Karsai, I., P. Szűcs, K. Meszaros, T. Filichkin P.M. Hayes, J. Skinner, L. Lang, and Z. Bedo. 2005. The Vrn-H2 locus is a major determinant of flowering time in a facultative × winter growth habit barley (*Hordeum vulgare* L.) mapping population. *Theoretical and Applied Genetics*. 110:1458-1466.

92. Karsai, I., P. Szucs, B. Koszegi, P.M. Hayes, A. Casas, Z. Bedo, and O. Veisz. 2008. Effects of photo and thermo cycles on flowering time in barley: a genetical phenomics approach. *Journal of Experimental Botany*. 59:2707-2715.
93. Kawachi, T., Y. Shoji, T. Sugimoto, Y.L. Oji, A. Kleinhofs, R.L. Warner, N. Kilian, A., J. Chen, F. Han, B. Steffenson, and A. Kleinhofs. 1997. Towards map-based cloning of the barley stem rust resistance genes Rpg1 and rpg4 using rice as an intergenomic cloning vehicle. *Plant Molecular Biology*. 35:187-195.
94. Kilian, A., and A. Kleinhofs. 1992. Cloning and mapping of telomere-associated sequences from *Hordeum vulgare*. *Molecular & General Genetics*. 235:153-156.
95. Kilian, A., A. Kleinhofs, P. Villand, T. Thorbjornsen, O.A. Olsen, and L.A. Kleczkowski. 1994. Mapping of the adp-glucose pyrophosphorylase genes in barley. *Theoretical and Applied Genetics*. 87:869-871.
96. Kilian, A., D. Kudrna, and A. Kleinhofs. 1999. Genetic and molecular characterization of barley chromosome telomeres. *Genome*. 42:412-419.
97. Kilian, A., D.A. Kudrna, A. Kleinhofs, M. Yano, N. Kurata, B. Steffenson, and T. Sasaki. 1995. Rice-barley synteny and its application to saturation mapping of the barley rpg1 region. *Nucleic Acids Research*. 23:2729-2733.
98. Kilian, A., B.J. Steffenson, M.A.S. Maroof, and A. Kleinhofs. 1994. RFLP markers linked to the durable stem rust resistance gene Rpg1 in barley. *Molecular Plant-Microbe Interactions*. 7:298-301.
99. Kleinhofs, A., A. Kilian, and D. Kudrna. 1993. Mapping of known function genes on the barley genome. *Cereal Foods World*. 38:604.
100. Kleinhofs, A., A. Kilian, M.A.S. Maroof, R.M. Biyashev, P. Hayes, F.Q. Chen, N. Lapitan, A. Fenwick, T.K. Blake, V. Kanazin, E. Ananiev, L. Dahleen, D. Kudrna, J. Bollinger, S.J. Knapp, B. Liu, M. Sorrells, M. Heun, J.D. Franckowiak, D. Hoffman, R. Skadsen, and B.J. Steffenson. 1993. A molecular, isozyme and morphological map of the barley (*Hordeum vulgare*) genome. *Theoretical and Applied Genetics*. 86:705-712.
101. Korol, A.B., Y.I. Ronin, E. Nevo, and P.M. Hayes. 1998. Multi-interval mapping of correlated trait complexes. *Heredity*. 80:273-284.
102. Kóti, A., I. Karsai, P. Szűcs, C. Horváth, K. Mészáros, G. Kiss, Z. Bedő, P.M. Hayes. 2006. Validation of the two-gene epistatic model for vernalization response in a winter x spring barley cross. *Euphytica*. 152:17-24.
103. Larson, S.R., D.K. Habernicht, T.K. Blake, and M. Adamson. 1997. Backcross gains for six-rowed grain and malt qualities with introgression of a feed barley yield QTL. *Journal of the American Society of Brewing Chemists*. 55:52-57.

104. Larson, S.R., D. Kadyrzhanova, C. McDonald, M. Sorrells, and T.K. Blake. 1996. Evaluation of barley chromosome-3 yield QTLs in a backcross F-2 population using STS-PCR. *Theoretical and Applied Genetics*. 93:618-625.
105. Larson, S.R., K.A. Young, A. Cook, T.K. Blake, and V. Raboy. 1998. Linkage mapping of two mutations that reduce phytic acid content of barley grain. *Theoretical and Applied Genetics*. 97:141-146.
106. Limin, A., A. Corey, P. Hayes, and D.B. Fowler. 2007. Low-temperature acclimation of barley cultivars used as parents in mapping populations: response to photoperiod, vernalization and phenological development. *Planta*. 226:139-146.
107. Liu, Z.W., R.M. Biyashev, and M.A.S. Maroof. 1996. Development of simple sequence repeat DNA markers and their integration into a barley linkage map. *Theoretical and Applied Genetics*. 93:869-876.
108. Malatrasi, M., T.J. Close, and N. Marmioli. 2002. Identification and mapping of a putative stress response regulator gene in barley. *Plant Molecular Biology*. 50:143-152.
109. Mammadov, J.A., Z. Liu, R.M. Biyashev, G.J. Muehlbauer, and M.A.S. Maroof. 2006. Cloning, genetic and physical mapping of resistance gene analogs in barley (*Hordeum vulgare* L.). *Plant Breeding*. 125:32-42.
110. Mammadov, J.A., B.J. Steffenson, and M.A.S. Maroof. 2005. High-resolution mapping of the barley leaf rust resistance gene Rph5 using barley expressed sequence tags (ESTs) and synteny with rice. *Theoretical and Applied Genetics*. 111:1651-1660.
111. Marcel, T.C., R.K. Varshney, M. Barbieri, H. Jafary, M.J.D. de Kock, A. Graner, and R.E. Niks. 2007. A high-density consensus map of barley to compare the distribution of QTLs for partial resistance to *Puccinia hordei* and of defense gene homologues. *Theoretical and Applied Genetics*. 114:487-500.
112. Marquez-Cedillo, L.A., P.M. Hayes, B.L. Jones, A. Kleinhofs, W.G. Legge, B.G. Rosnagel, K. Sato, E. Ullrich, D.M. Wesenberg, and N.A. Barley. 2000. QTL analysis of malting quality in barley based on the doubled-haploid progeny of two elite North American varieties representing different germplasm groups. *Theoretical and Applied Genetics*. 101:173-184.
113. Marquez-Cedillo, L.A., P.M. Hayes, A. Kleinhofs, W.G. Legge, B.G. Rosnagel, K. Sato, S.E. Ullrich, D.M. Wesenberg, and The North American Barley Genome Mapping Project. 2001. QTL analysis of agronomic traits in barley based on the doubled haploid progeny of two elite North American varieties representing different germplasm groups. *Theoretical and Applied Genetics*. 103:625-637.
114. Massman, J.M., and K.P. Smith. 2008. Locating resistance QTL for Fusarium head blight using association mapping in contemporary barley breeding germplasm. *Phytopathology*. 98:S99-S99.

115. Matus, I., A. Corey, T. Filichkin, P.M. Hayes, J. Kling, W. Powell, O. Riera-Lizarazu, K. Sato, M.I. Vales, and R. Waugh. 2003. Development and characterization of recombinant chromosome substitution lines (RCSLs) using *Hordeum vulgare* subsp. *spontaneum* as a source of donor alleles in a *Hordeum vulgare* subsp. *vulgare* background. *Genome*. 46:1010-1023.
116. Matus, I. and P.M. Hayes. 2002. Genetic diversity in three groups of barley germplasm assessed by Simple Sequence Repeats. *Genome*. 45:1095-1106.
117. Mickelson, S., D. See, F.D. Meyer, J.P. Garner, C.R. Foster, T.K. Blake, and A.M. Fischer. 2003. Mapping of QTL associated with nitrogen storage and remobilization in barley (*Hordeum vulgare* L.) leaves. *Journal of Experimental Botany*. 54:801-812.
118. Mirlohi, A., R. Brueggeman, T. Drader, J. Nirmala, B.J. Steffenson, and A. Kleinhofs. 2008. Allele sequencing of the barley stem rust resistance gene Rpg1 identifies regions relevant to disease resistance. *Phytopathology*. 98:910-918.
119. Nduulu, L.M., A. Mesfin, G.J. Muehlbauer and K.P. Smith. 2007. Analysis of the chromosome 2(2H) region of barley associated with the correlated traits Fusarium head blight resistance and heading date. *Theoretical and Applied Genetics*. 115:561-570.
120. Nirmala, J., S. Dahl, B.J. Steffenson, C.G. Kannangara, D. von Wettstein, X.M. Chen, and A. Kleinhofs. 2007. Proteolysis of the barley receptor-like protein kinase RPG1 by a proteasome pathway is correlated with Rpg1-mediated stem rust resistance. *Proceedings of the National Academy of Sciences of the United States of America*. 104:10276-10281.
121. Oziel, A., P.M. Hayes, F.Q. Chen, and B. Jones. 1996. Application of quantitative trait locus mapping to the development of winter habit malting barley. *Plant Breeding*. 115:43-51.
122. Pan, A., P.M. Hayes, F. Chen, T.H.H. Chen, T. Blake, S. Wright, I. Karsai, and Z. Bedo. 1994. Genetic-analysis of the components of winter hardiness in barley (*Hordeum vulgare*). *Theoretical and Applied Genetics*. 89:900-910.
123. Parrott, D.L., K. McInnerney, U. Feller and A.M. Fischer. 2007. Steam-girdling of barley (*Hordeum vulgare*) leaves leads to carbohydrate accumulation and accelerated leaf senescence, facilitating transcriptomic analysis of senescence-associated genes. *The New Phytologist*. 176: 56-69
124. Potokina, E., A. Druka, Z.W. Luo, R. Wise, R. Waugh, and M. Kearsley. 2008. Gene expression quantitative trait locus analysis of 16,000 barley genes reveals a complex pattern of genome-wide transcriptional regulation. *Plant Journal*. 53:90-101.
125. Potokina, E., M. Prasad, L. Malysheva, M.S. Roeder, and A. Graner. 2006. Expression genetics and haplotype analysis reveal cis regulation of serine carboxypeptidase I (Cxp1), a candidate gene for malting quality in barley (*Hordeum vulgare* L.). *Functional & Integrative Genomics*. 6:25-35.

126. Prada, D., I. Romagosa, S.E. Ullrich, and J.L. Molina-Cano. 2005. A centromeric region on chromosome 6(6H) affects dormancy in an induced mutant in barley. *Journal of Experimental Botany*. 56:47-54.
127. Prada, D., S.E. Ullrich, J.L. Molina-Cano, L. Cistue, J.A. Clancy, and I. Romagosa. 2004. Genetic control of dormancy in a Triumph/Morex cross in barley. *Theoretical and Applied Genetics*. 109:62-70.
128. Qi, X., R.E. Niks, P. Stam, and P. Lindhout. 1998. Identification of QTLs for partial resistance to leaf rust (*Puccinia hordei*) in barley. *Theoretical and Applied Genetics*. 96:1205-1215.
129. Richardson K.L., M.I. Vales, J.G. Kling, C.C. Mundt, and P.M. Hayes. 2006. Pyramiding and dissecting disease resistance QTL to barley stripe rust. *Theoretical and Applied Genetics*. 113:485-495.
130. Rodriguez, M., D. O'Sullivan, P. Donini, R. Papa, E. Chiapparino, F. Leigh, and G. Attene. 2006. Integration of retrotransposons-based markers in a linkage map of barley. *Molecular Breeding*. 17:173-184.
131. Romagosa, I., F. Han, S.E. Ullrich, P.M. Hayes, and D.M. Wesenberg. 1999. Verification of yield QTL through realized molecular marker-assisted selection responses in a barley cross. *Molecular Breeding*. 5:143-152.
132. Romagosa, I., S.E. Ullrich, F. Han, and P.M. Hayes. 1996. Use of the additive main effects and multiplicative interaction model in QTL mapping for adaptation in barley. *Theoretical and Applied Genetics*. 93:30-37.
133. Rossi, C., A. Cuesta-Marcos, I. Vales, L. Gomez-Pando, G. Orjeda, R. Wise, K. Sato, K. Hori, F. Capettini, H. Vivar, X. Chen, and P. Hayes. 2006. Mapping multiple disease resistance genes using a barley mapping population evaluated in Peru, Mexico, and the USA. *Molecular Breeding*. 18:355-366.
134. Rostoks, N., S. Mudie, L. Cardle, J. Russell, L. Ramsay, A. Booth, J.T. Svensson, S.I. Wanamaker, H. Walia, E.M. Rodriguez, P.E. Hedley, H. Liu, J. Morris, T.J. Close, D.F. Marshall, and R. Waugh. 2005. Genome-wide SNP discovery and linkage analysis in barley based on genes responsive to abiotic stress. *Molecular Genetics and Genomics*. 274:515-527.
135. Rostoks, N., D. Schmierer, D. Kudrna, and A. Kleinhofs. 2003. Barley putative hypersensitive induced reaction genes: genetic mapping, sequence analyses and differential expression in disease lesion mimic mutants. *Theoretical and Applied Genetics*. 107:1094-1101.
136. Rostoks, N., B.J. Steffenson, and A. Kleinhofs. 2004. Structure and expression of the barley stem rust resistance gene Rpg1 messenger RNA. *Physiological and Molecular Plant Pathology*. 64:91-101.

137. Rostoks, N., J.M. Zale, J. Soule, R. Brueggeman, A. Druka, D. Kudrna, B. Steffenson, and A. Kleinhofs. 2002. A barley gene family homologous to the maize rust resistance gene Rp1-D. *Theoretical and Applied Genetics*. 104:1298-1306.
138. Rostoks, N., D. Schmierer, S. Mudie, T. Drader, R. Brueggeman, D.G. Caldwell, R. Waugh and A. Kleinhofs. 2006. Barley necrotic locus nec1 encodes the cyclic nucleotide-gated ion channel 4 homologous to the Arabidopsis HLM1. *Molecular Genetics and Genomics*. 275:159-168 (DOI 10.1007/s00438-005-0073-9)
139. Rouves, S., C. Boeuf, S. ZwickertMenteur, M.F. Gautier, P. Joudrier, M. Bernard, and L. Jestin. 1996. Locating supplementary RFLP markers on barley chromosome 7 and synteny with homoeologous wheat group 5. *Plant Breeding*. 115:511-513.
140. Rudd, J.C., R.D. Horsley, A.L. McKendry, and E.M. Elias. 2001. Host plant resistance genes for Fusarium head blight: Sources, mechanisms, and utility in conventional breeding systems. *Crop Science*. 41:620-627.
141. Sato, K. T. Inukai , and P. M. Hayes. 2001. QTL analysis of resistance to the rice blast pathogen in barley (*Hordeum vulgare*). *Theoretical and Applied Genetics*. 102:916-920.
142. Schmierer, D.A., N. Kandemir, D.A. Kudrna, B.L. Jones, S.E. Ullrich, and A. Kleinhofs. 2004. Molecular marker-assisted selection for enhanced yield in malting barley. *Molecular Breeding*. 14:463-473.
143. Schon, C.C., P.M. Hayes, T.K. Blake, and S.J. Knapp. 1991. Gametophytic selection in a winter x spring barley cross. *Genome*. 34:918-922.
144. Shan, X., T.K. Blake, and L.E. Talbert. 1999. Conversion of AFLP markers to sequence-specific PCR markers in barley and wheat. *Theoretical and Applied Genetics*. 98:1072-1078.
145. Sherman, J.D., L.Y. Smith, T.K. Blake, and L.E. Talbert. 2001. Identification of barley genome segments introgressed into wheat using PCR markers. *Genome*. 44:38-44.
146. Singh, J., S. Zhang, C. Chen, L. Cooper, P. Bregitzer, A. Sturbaum, P.M. Hayes, and P.G. Lemaux. 2006. High-frequency Ds remobilization over multiple generations in barley facilitates gene tagging in large genome cereals. *Plant Molecular Biology*. 62:937-950.
147. Skinner J.S., J. von Zitzewitz, P. Szűcs, L. Marquez-Cedillo, T. Filichkin, K. Amundsen, E. Stockinger, M.F. Thomashow, T.H.H. Chen, and P.M. Hayes. 2005. Structural, Functional, and Phylogenetic Characterization of a Large CBF Gene Family in Barley. *Plant Molecular Biology*. 59:533-551.
148. Skinner, J., P. Szucs, J. von Zitzewitz, L. Marquez-Cedillo, T. Filichkin, E.J. Stockinger, M.F. Thomashow, T.H.H. Chen, and P.M. Hayes. 2006. Mapping of barley homologs to genes that regulate low temperature tolerance in Arabidopsis. *Theoretical and Applied Genetics*. 112:832-842.

149. Spaner, D. B.G. Rosnagel, W.G. Legge, G.J. Scoles, P.E. Eckstein, G.A. Penner, N.A. Tinker, K.G. Briggs, D.E. Falk, J.C. Afele, P.M. Hayes and D.E. Mather. 1999. Verification of a quantitative trait locus affecting agronomic traits in two-row barley. *Crop Science*. 39:248-252.
150. Steffenson, B.J., P.M. Hayes, and A. Kleinhofs. 1996. Genetics of seedling and adult plant resistance to net blotch (*Pyrenophora teres f teres*) and spot blotch (*Cochliobolus sativus*) in barley. *Theoretical and Applied Genetics*. 92:552-558.
151. Steffenson, B.J., A. Kilian, and A. Kleinhofs. 1992. Identification of molecular markers linked with the RPG1 gene for stem rust resistance in barley. *Phytopathology*. 82:1083.
152. Szűcs, P., I. Karsai, J. von Zitzewitz, K. Mészáros, L.L.D. Cooper, Y.Q. Gu, T.H.H. Chen, P.M. Hayes, and J.S. Skinner. 2006. Positional relationships between photoperiod response QTL and photoreceptor and vernalization genes in barley. *Theoretical and Applied Genetics*. 112:1277-1285.
153. Szucs, P., J.S. Skinner, I. Karsai, A. Cuesta-Marcos, K.G. Haggard, A.E. Corey, T.H.H. Chen, and P.M. Hayes. 2007. Validation of the VRN-H2/VRN-H1 epistatic model in barley reveals that intron length variation in VRN-H1 may account for a continuum of vernalization sensitivity. *Molecular Genetics and Genomics*. 277:249-261.
154. Tinker, N.A., D.E. Mather, B.G. Rosnagel, K.J. Kasha, A. Kleinhofs, P.M. Hayes, D.E. Falk, T. Ferguson, L.P. Shugar, W.G. Legge, R.B. Irvine, T.M. Choo, K.G. Briggs, S.E. Ullrich, J.D. Franckowiak, T.K. Blake, R.J. Graf, S.M. Dofing, M.A.S. Maroof, G.J. Scoles, D. Hoffman, L.S. Dahleen, A. Kilian, F. Chen, R.M. Biyashev, D.A. Kudrna, and B.J. Steffenson. 1996. Regions of the genome that affect agronomic performance in two-row barley. *Crop Science*. 36:1053-1062.
155. Tondelli, A., E. Francia, D. Barabaschi, A. Aprile, J.S. Skinner, E.J. Stockinger, A.M. Stanca, and N. Pecchioni. 2006. Mapping regulatory genes as candidates for cold and drought stress tolerance in barley. *Theoretical and Applied Genetics*. 112:445-454.
156. Toojinda, T., L.H. Broers, X.M. Chen, P.M. Hayes, A. Kleinhofs, J. Korte, D. Kudrna, H. Leung, R.F. Line, W. Powell, L. Ramsay, H. Vivar, and R. Waugh. 2000. Mapping quantitative and qualitative disease resistance genes in a doubled haploid population of barley (*Hordeum vulgare*). *Theoretical and Applied Genetics*. 101:580-589.
157. Toubia-Rahme, H., and B.J. Steffenson. 2004. Sources of resistance to septoria speckled leaf blotch caused by *Septoria passerinii* in barley. *Canadian Journal of Plant Pathology-Revue Canadienne De Phytopathologie*. 26:358-364.
158. Tragoonrung, S., V. Kanazin, P.M. Hayes, and T.K. Blake. 1992. Sequence-tagged-site-facilitated pcr for barley genome mapping. *Theoretical and Applied Genetics*. 84:1002-1008.

159. Ullrich, S.E., J.A. Clancy, I.A. del Blanco, H. Lee, V.A. Jitkov, F. Han, A. Kleinhofs, and K. Matsui. 2008. Genetic analysis of preharvest sprouting in a six-row barley cross. *Molecular Breeding*. 21:249-259.
160. Ullrich, S.E., P.M. Hayes, B.L. Jones, and A. Kleinhofs. 1993. Application of new genetic technologies to malting quality improvement in barley. *Cereal Foods World*. 38:604.
161. Van Sanford, D., J. Anderson, K. Campbell, J. Costa, P. Cregan, C. Griffey, P.M. Hayes, and R. Ward. 2001. Discovery and development of molecular markers linked to Fusarium Head Blight resistance: an integrated system for wheat and barley. *Crop Science*. 638-644.
162. Van Zee, K., F.Q. Chen, P.M. Hayes, T.J. Close, and T.H.H. Chen. 1995. Cold-specific induction of a dehydrin gene family member in barley. *Plant Physiology*. 108:1233-1239.
163. Varshney, R.K., T.C. Marcel, L. Ramsay, J. Russell, M.S. Roder, N. Stein, R. Waugh, P. Langridge, R.E. Niks, and A. Graner. 2007. A high density barley microsatellite consensus map with 775 SSR loci. *Theoretical and Applied Genetics*. 114:1091-1103.
164. Vaz Patto, M.C., D. Rubiales, A. Martin, P. Hernandez, P. Lindhout, R.E. Niks, and P. Stam. 2003. QTL mapping provides evidence for lack of association of the avoidance of leaf rust in *Hordeum chilense* with stomata density. *Theoretical and Applied Genetics*. 106:1283-1292.
165. von Zitzewitz, J., P. Szűcs, J. Dubcovsky, L. Yan, E. Francia, N. Pecchioni, A. Casas, T.H.H. Chen, P.M. Hayes, and J. Skinner. 2005. Structural and functional characterization of barley vernalization genes. *Plant Molecular Biology*. 59:449-467.
166. Waugh, R., N. Bonar, E. Baird, B. Thomas, A. Graner, P. Hayes, and W. Powell. 1997. Homology of AFLP products in three mapping populations of barley. *Molecular & General Genetics*. 255:311-321.
167. Wenzl, P., J. Carling, D. Kudrna, D. Jaccoud, E. Huttner, A. Kleinhofs, and A. Kilian. 2004. Diversity Arrays Technology (DArT) for whole-genome profiling of barley. *Proceedings of the National Academy of Sciences of the United States of America*. 101:9915-9920.
168. Wenzl, P., H.B. Li, J. Carling, M.X. Zhou, H. Raman, E. Paul, P. Hearnden, C. Maier, L. Xia, V. Caig, J. Ovesna, M. Cakir, D. Poulsen, J.P. Wang, R. Raman, K.P. Smith, G.J. Muehlbauer, K.J. Chalmers, A. Kleinhofs, E. Huttner, and A. Kilian. 2006. A high-density consensus map of barley linking DArT markers to SSR, RFLP and STS loci and agricultural traits. *BMC Genomics*. 7.
169. Xu, S.Z., and Z.Y. Jia. 2007. Genomewide analysis of epistatic effects for quantitative traits in barley. *Genetics*. 175:1955-1963.

170. Yan, L., J. von Zitzewitz, J. Skinner, P.M. Hayes, and J. Dubcovsky. 2005. Molecular characterization of the duplicated meristem identity genes HvAP1a and HvAP1b in barley. *Genome*. 48:905-912
171. Yang, L.T., S. Mickelson, D. See, T.K. Blake, and A.M. Fischer. 2004. Genetic analysis of the function of major leaf proteases in barley (*Hordeum vulgare* L.) nitrogen remobilization. *Journal of Experimental Botany*. 55:2607-2616.
172. Yu, Y., J.P. Tomkins, R. Waugh, D.A. Frisch, D. Kudrna, A. Kleinhofs, R.S. Brueggeman, G.J. Muehlbauer, R.P. Wise, and R.A. Wing. 2000. A bacterial artificial chromosome library for barley (*Hordeum vulgare* L.) and the identification of clones containing putative resistance genes. *Theoretical and Applied Genetics*. 101:1093-1099.
173. Yun, S.J., L. Gyenis, E. Bossolini, P.M. Hayes, I. Matus, K.P. Smith, B.J. Steffenson, R. Tuberosa, and G.J. Muehlbauer. 2006. Validation of quantitative trait loci for multiple disease resistance in barley using advanced backcross lines developed with a wild barley. *Crop Science*. 46:1179-1186.
174. Yun, S.J., L. Gyenis, P.M. Hayes, I. Matus, K.P. Smith, B.J. Steffenson, and G.J. Muehlbauer. 2005. Quantitative trait loci for multiple disease resistance in wild barley. *Crop Science*. 45:2563-2572.
175. Zhang, L., C. Castell-Miller, S. Dahl, B. Steffenson, and A. Kleinhofs. 2008. Parallel expression profiling of barley-stem rust interactions. *Functional & Integrative Genomics*. 8:187-198.
176. Zhang, L., T. Fetch, J. Nirmala, D. Schmierer, R. Brueggeman, B. Steffenson, and A. Kleinhofs. 2006. Rpr1, a gene required for Rpg1-dependent resistance to stem rust in barley. *Theoretical and Applied Genetics*. 113:847-855.
177. Zhang, Q., M.A.S. Maroof, and A. Kleinhofs. 1993. Comparative diversity analysis of RFLPs and isozymes within and among populations of *Hordeum-vulgare* ssp *spontaneum*. *Genetics*. 134:909-916.
178. Zhong, S.B., H. Toubia-Rahme, B.J. Steffenson, and K.P. Smith. 2006. Molecular mapping and marker-assisted selection of genes for septoria speckled leaf blotch resistance in barley. *Phytopathology*. 96:993-999.
179. Zhu, H., G. Briceño, R. Dovel, P.M. Hayes, B.H. Liu, C.T. Liu, T. Toojinda, and S.E. Ullrich. 1999. Molecular breeding for grain yield in barley: an evaluation of QTL effects in a spring barley cross. *Theoretical and Applied Genetics*. 98:772-779.
180. Zhu, H., L. Gilchrist, P. Hayes, A. Kleinhofs, D. Kudrna, Z. Liu, L. Prom, B. Steffenson, T. Toojinda, and H. Vivar. 1999. Does function follow form? Principal QTLs for Fusarium head blight (FHB) resistance are coincident with QTLs for inflorescence traits and plant height in a doubled-haploid population of barley. *Theoretical and Applied Genetics*. 99:1221-1232.